



U. S. DEPARTMENT OF AG.

BUREAU OF ENTOMOLOGY—BULLETIN

L. O. HOWARD, Entomologist and Chief of Bureau

---

PAPERS ON INSECTS AFFECTING  
STORED PRODUCTS.

---

CONTENTS AND INDEX.

---

ISSUED SEPTEMBER 11, 1916.



WASHINGTON:  
GOVERNMENT PRINTING OFFICE.

1916.

ADDITIONAL COPIES  
OF THIS PUBLICATION MAY BE PROCURED FROM  
THE SUPERINTENDENT OF DOCUMENTS  
GOVERNMENT PRINTING OFFICE  
WASHINGTON, D. C.  
AT  
5 CENTS PER COPY  
Δ

U. S. DEPARTMENT OF AGRICULTURE,  
BUREAU OF ENTOMOLOGY—BULLETIN No. 96.  
L. O. HOWARD, Entomologist and Chief of Bureau.

---

PAPERS ON INSECTS AFFECTING  
STORED PRODUCTS.

---

I. A LIST OF INSECTS AFFECTING STORED CEREALS.  
THE MEXICAN GRAIN BEETLE.  
THE SIAMESE GRAIN BEETLE.

By F. H. CHITTENDEN, *In Charge of Truck Crop and Stored Product Insect Investigations.*

II. THE BROAD-NOSED GRAIN WEEVIL.  
THE LONG-HEADED FLOUR BEETLE.

By F. H. CHITTENDEN, *In Charge of Truck Crop and Stored Product Insect Investigations.*

III. THE LESSER GRAIN-BORER.  
THE LARGER GRAIN-BORER.

By F. H. CHITTENDEN, *In Charge of Truck Crop and Stored Product Insect Investigations.*

IV. CARBON TETRACHLORID AS A SUBSTITUTE FOR CARBON  
DISULPHID IN FUMIGATION AGAINST INSECTS.


By F. H. CHITTENDEN, *In Charge of Truck Crop and Stored Product Insect Investigations,*  
and C. H. POPEÑO, *Entomological Assistant.*

V. THE BROAD-BEAN WEEVIL.

By F. H. CHITTENDEN, *In Charge of Truck Crop and Stored Product Insect Investigations.*

VI. THE COWPEA WEEVIL.

By F. H. CHITTENDEN, *In Charge of Truck Crop and Stored Product Insect Investigations.*



## BUREAU OF ENTOMOLOGY.

I. O. HOWARD, *Entomologist and Chief of Bureau.*  
C. L. MARIATT, *Entomologist and Assistant Chief of Bureau.*  
E. B. O'LEARY, *Chief Clerk and Executive Assistant.*

F. H. CHITTENDEN, *in charge of truck crop and stored product insect investigations.*  
A. D. HOPKINS, *in charge of forest insect investigations.*  
W. D. HUNTER, *in charge of southern field crop insect investigations.*  
———, *in charge of cereal and forage insect investigations.*  
A. L. QUAINANCE, *in charge of deciduous fruit insect investigations.*  
E. F. PHILLIPS, *in charge of bee culture.*  
A. F. BURGESS, *in charge of gipsy moth and brown-tail moth investigations.*  
ROLLA P. CURRIE, *in charge of editorial work.*  
MABEL COLCORD, *librarian.*

### TRUCK CROP AND STORED PRODUCT INSECT INVESTIGATIONS.

F. H. CHITTENDEN, *Entomologist in charge.*

C. H. POPENOE, WM. B. PARKER, T. H. JONES, M. M. HIGH, F. A. JOHNSTON, and  
D. E. FINK, *entomological assistants.*  
H. O. MARSH, F. B. MILLIKEN, C. F. STAHL, FRANK R. COLE, A. B. DUCKETT, B. L.  
BOYDEN, R. E. CAMPBELL, W. H. WHITE, and PAULINE M. JOHNSON, *scientific*  
*assistants.*  
NEALE F. HOWARD, *specialist.*  
W. M. DOVENER, *expert.*  
I. J. CONDIT, R. S. VAILE, *collaborators in California.*

---

: Resigned July 31, 1914.

# INDEX.

	Page.
<i>Acanthoscelides obtectus</i> —	
incubation period.....	87
prey of <i>Pediculoides ventricosus</i> .....	67
Acarina in list of insects affecting stored cereals.....	7
<i>Acompeia pseudospretella</i> in list of insects affecting stored cereals.....	6
"Aduki" beans: (See <i>Phaseolus radiatus</i> .)	
<i>Æthriostoma undulata</i> in list of insects affecting stored cereals.....	3
<i>Aleurobius farinæ</i> = <i>Tyroglyphus farinæ</i> .....	7
<i>Alphitobius diaperinus</i> in list of insects affecting stored cereals.....	5
<i>Alphitobius piceus</i> in list of insects affecting stored cereals.....	5
<i>Alphitophagus bifasciatus</i> in list of insects affecting stored cereals.....	5
<i>Alphitophagus 4-pustulatus</i> = <i>A. bifasciatus</i> .....	5
<i>Amphicerus bicaudatus</i> , comparison with <i>Dinoderus truncatus</i> .....	50
<i>Anobium paniceum</i> = <i>Sitodrepa panicea</i> .....	4
<i>Anthrenus varius</i> = <i>A. verbasci</i> .....	3
<i>Anthrenus verbasci</i> in list of insects affecting stored cereals.....	3
<i>Apate castanea</i> .....	32
<i>Apate frumentaria</i> Motschulsky= <i>Rhizopertha dominica</i> .....	30, 32
<i>Apate rufa</i> = <i>Rhizopertha dominica</i> .....	30
<i>Aphis rumicis</i> , bibliographic reference.....	81
Apple twig-borer. (See <i>Amphicerus bicaudatus</i> .)	
Arrowroot, powdered, food of <i>Rhizopertha dominica</i> .....	32
<i>Asopia farinalis</i> = <i>Pyralis farinalis</i> .....	7
<i>Atropos divinatoria</i> = <i>Troctes divinatoria</i> .....	7
<i>Attagenus megaloma</i> = <i>A. piceus</i> .....	3
<i>Attagenus piceus</i> —	
carbon tetrachlorid as fumigant.....	54
in list of insects affecting stored cereals.....	3
Avocado seeds, food of <i>Caulophilus latinasus</i> .....	19-20
<i>Batrachedra rileyi</i> in list of insects affecting stored cereals.....	6
Banana. (See <i>Musa ensete</i> .)	
Barley, stored, food of <i>Latheticus oryze</i> .....	27
Bean—	
broad. (See <i>Vicia faba</i> .)	
horse. (See <i>Vicia faba</i> .)	
hyacinth. (See <i>Dolichos lablab</i> .)	
soy (see also <i>Soja hispida</i> ).	
food plant of <i>Pachymerus chinensis</i> .....	89
Beans, stored black, food of <i>Lophocateres pusillus</i> .....	15
Bean weevil, four-spotted. (See <i>Pachymerus quadrimaculatus</i> .)	
Biscuits, ship's, food of <i>Rhizopertha dominica</i> .....	32
Bisulphid of carbon—	
against Indian-meal moth.....	43
against lesser grain borer.....	37-38, 42-46
against <i>Silvanus surinamensis</i> .....	43
against <i>Tenebroides mauritanicus</i> .....	43
suggested against larger grain borer.....	51
<i>Blatta orientalis</i> in list of insects affecting stored cereals.....	7

	Page.
<i>Blattella germanica</i> in list of insects affecting stored cereals.....	7
Blister beetles. (See Meloidæ.)	
Book louse. (See <i>Troctes divinatoria</i> .)	
Bostrychidæ in list of insects affecting stored cereals.....	4
<i>Brachytarsus alternatus</i> in list of insects affecting stored cereals.....	5
<i>Brachytarsus variegatus</i> in list of insects affecting stored cereals.....	5
<i>Bruchus adustus</i> = <i>Pachymerus chinensis</i> .....	85
<i>Bruchus granarius</i> .....	72
bibliographic reference.....	80
<i>Bruchus obtectus</i> —	
bibliographic reference.....	80
= <i>Acanthoscelides obtectus</i> .....	67
<i>Bruchus pectinicornis</i> —	
bibliographic reference.....	93
= <i>Pachymerus chinensis</i> .....	85
“ <i>Bruchus pisi</i> ” of Olivier.....	72
<i>Bruchus pisorum</i> .....	72
bibliographic reference.....	82
<i>Bruchus quadrimaculatus</i> —	
bibliographic reference.....	94
= <i>Pachymerus quadrimaculatus</i> .....	67
<i>Bruchus rufimanus</i> , bibliographic references.....	80
<i>Bruchus rufus</i> = <i>Pachymerus chinensis</i> .....	85
<i>Bruchus scutellaris</i> —	
bibliographic reference.....	93
= <i>Pachymerus chinensis</i> .....	84, 85
Bulbs, edible, food of <i>Rhizopertha dominica</i> .....	33
Buprestidæ, alleged irritation due to bites.....	67
Cabinet beetle—	
larger. (See <i>Trogoderma tarsale</i> .)	
ornate. (See <i>Trogoderma ornatum</i> .)	
small. (See <i>Anthrenus verbasci</i> .)	
Cadelle. (See <i>Tenebroides mauritanicus</i> .)	
<i>Cænocorse ratzeburgi</i> —	
carbon tetrachlorid as fumigant.....	56
in list of insects affecting stored cereals.....	5
<i>Cænocorse subdepressa</i> in list of insects affecting stored cereals.....	5
<i>Cajanus indica</i> —	
bibliographic references.....	93, 94
food plant of <i>Pachymerus chinensis</i> .....	89
<i>Calandra granaria</i> —	
bibliographic reference.....	47
carbon tetrachlorid as fumigant.....	54, 56
in list of insects affecting stored cereals.....	5
<i>Calandra gryza</i> —	
association with <i>Lophocateres pusillus</i> in grain.....	15
carbon tetrachlorid as fumigant.....	54
fumigation with bisulphid of carbon.....	48
fumigation with hydrocyanic-acid gas.....	40, 42
in list of insects affecting stored cereals.....	5
in stored corn.....	8
<i>Calandra remotopunctata</i> —	
a synonym.....	1
= <i>C. granaria</i> .....	5

Carbon bisulphid—	Page.
against broad-bean weevil.....	76-77
cost as a fumigant in comparison with carbon tetrachlorid.....	56-57
Carbon tetrachlorid as a substitute for carbon bisulphid in fumigation against insects.....	53-57
Carpet-beetle, black. (See <i>Attagenus piceus</i> .)	
<i>Carpophilus dimidiatus</i> in list of insects affecting stored cereals.....	3
<i>Carpophilus pallipennis</i> in list of insects affecting stored cereals.....	3
<i>Cathartus advena</i> in list of insects affecting stored cereals.....	2
<i>Cathartus gemellatus</i> —	
in list of insects affecting stored cereals.....	2
in stored corn.....	8
<i>Catorama punctulata</i> in list of insects affecting stored cereals.....	4
<i>Catorama zee</i> in list of insects affecting stored cereals.....	4
<i>Caulophilus latinasus</i> —	
adult, description.....	20-21
bibliographic list.....	23-24
descriptive.....	20-22
distribution.....	22
in list of insects affecting stored cereals.....	5
life history and habits, summary.....	23
literature.....	22-23
occurrence in the United States, notes.....	19-20
<i>Caulophilus sculpturatus</i> —	
bibliographic references.....	23
comparison with <i>C. latinasus</i> and <i>Rhyncolus cylindricostis</i> .....	21
= <i>C. latinasus</i> .....	22
Cereals, stored—	
food of <i>Rhizopertha dominica</i> .....	29
list of insects affecting them.....	1-7
Cheese mite. (See <i>Tyroglyphus siro</i> .)	
Chick-peas. (See <i>Cicer arietinum</i> .)	
CHITTENDEN, F. H., papers—	
“A List of Insects Affecting Stored Cereals”.....	1-7
“The Broad-bean Weevil ( <i>Laria rufimana</i> Boh.)”.....	59-82
“The Broad-nosed Grain Weevil ( <i>Caulophilus latinasus</i> Say)”.....	19-24
“The Cowpea Weevil ( <i>Pachymerus chinensis</i> L.)”.....	83-94
“The Larger Grain-borer ( <i>Dinoderus truncatus</i> Horn)”.....	48-52
“The Lesser Grain-borer ( <i>Rhizopertha dominica</i> Fab.)”.....	29-47
“The Long-headed Flour Beetle ( <i>Latheticus oryzae</i> Waterh.)”.....	25-28
“The Mexican Grain Beetle ( <i>Pharazonotha kirschi</i> Reitt.)”.....	8-13
“The Siamese Grain Beetle ( <i>Lophocaterus pusillus</i> Klug)”.....	14-18
CHITTENDEN, F. H., and POFENOR, C. H., “Carbon Tetrachlorid as a Substitute for Carbon Bisulphid in Fumigation against Insects”.....	53-57
“Cholum seed.” (See <i>Sorghum vulgare</i> .)	
<i>Chremylus rubiginosus</i> —	
bibliographic reference.....	80
parasite of <i>Laria rufimana</i> .....	72
<i>Cicer arietinum</i> —	
bibliographic reference.....	94
food plant of <i>Pachymerus chinensis</i> .....	89
seeds, food of <i>Caulophilus latinasus</i> .....	19
Cigarette beetle. (See <i>Lasioderma serricorne</i> .)	
Clavicorns, various, in list of insects affecting stored cereals.....	3



## Cockroach—

German. (See *Blattella germanica*.)Oriental. (See *Blatta orientalis*.)

	Page.
Cork, food of <i>Rhizopertha dominica</i> .....	32
Corn meal, food of <i>Pharaxonotha kirschi</i> .....	11-12
Corn sap-beetle. (See <i>Carpophilus pallipennis</i> .)	
Corn, stored, food of—	
<i>Calandra oryza</i> .....	8
<i>Cathartus gemellatus</i> .....	8
<i>Caulophilus latinasus</i> .....	19, 20
<i>Dinoderus truncatus</i> .....	48, 50, 51
<i>Latheticus oryzae</i> .....	27
<i>Lophocateres pusillus</i> .....	14, 18
<i>Pharaxonotha kirschi</i> .....	8
<i>Rhizopertha dominica</i> .....	33
Cossonus pinguis—	
bibliographic reference.....	23
= <i>Caulophilus latinasus</i> .....	22
Cowpeas, food of—	
<i>Pachymerus chinensis</i> .....	83
<i>Pachymerus quadrimaculatus</i> .....	83
Cowpea weevil. (See <i>Pachymerus chinensis</i> .)	
Croton bug. (See <i>Blattella germanica</i> .)	
Cucujidæ in list of insects affecting stored cereals.....	2-3
<i>Curculio chinensis</i> —	
bibliographic reference.....	93
= <i>Pachymerus chinensis</i> .....	85
<i>Cytisus spinosus</i> , <i>Rhizopertha dominica</i> found under bark.....	32
Dermestidæ in list of insects affecting stored cereals.....	3
<i>Dinoderus</i> , description of genus.....	49
<i>Dinoderus dominica</i> = <i>Rhizopertha dominica</i> .....	4
<i>Dinoderus frumentarius</i> = <i>Rhizopertha dominica</i> .....	32
<i>Dinoderus punctatus</i> .....	49
incorrectly determined as affecting stored corn.....	1
<i>Dinoderus pusillus</i> .....	49
= <i>Rhizopertha dominica</i> .....	4, 30
<i>Dinoderus</i> sp., bibliographic reference.....	47, 52
<i>Dinoderus substriatus</i> .....	49
<i>Dinoderus truncatus</i> .....	9
adult, description.....	49
bibliography.....	52
comparison with <i>Rhizopertha dominica</i> .....	29
description.....	48-50
history and literature.....	50
in list of insects affecting stored cereals.....	4
office experiments.....	50-52
<i>Dolichos biflorus</i> —	
bibliographic reference.....	94
food plant of <i>Pachymerus chinensis</i> .....	89
<i>Dolichos lablab</i> , bibliographic reference.....	94
Drugs, food of <i>Rhizopertha dominica</i> .....	29
Drug-store beetle. (See <i>Sitodrepa panicea</i> .)	
"Dryer," machine for killing insects in infested seed, by heat.....	92-93

	Page.
<i>Echocerus cornutus</i> = <i>Gnathocerus cornutus</i> .....	5
<i>Ectobia germanica</i> = <i>Blattella germanica</i> .....	7
Eggplant seeds, food of <i>Lophocateres pusillus</i> .....	15
Elevator mite. (See <i>Tyroglyphus longior</i> .)	
"English Dwarf" beans, colloquial name for broad beans.....	59
<i>Ephestia cahiritella</i> = <i>E. cautella</i> .....	6
<i>Ephestia cautella</i> —	
carbon tetrachlorid as fumigant.....	55
in list of insects affecting stored cereals.....	6
<i>Ephestia desuetella</i> = <i>E. ficulella</i> .....	6
<i>Ephestia elutella</i> in list of insects affecting stored cereals.....	6
<i>Ephestia ficulella</i> in list of insects affecting stored cereals.....	6
<i>Ephestia kuehniella</i> —	
carbon tetrachlorid as fumigant.....	55
in list of insects affecting stored cereals.....	6
<i>Ephestia passulella</i> = <i>E. cautella</i> .....	6
<i>Ephestia zee</i> = <i>Plodia interpunctella</i> .....	6
<i>Ervum lens</i> , bibliographic reference.....	94
Fig moth. (See <i>Ephestia cautella</i> .)	
Flour-beetle—	
black. (See <i>Tribolium madens</i> .)	
broad-horned. (See <i>Gnathocerus cornutus</i> .)	
confused. (See <i>Tribolium confusum</i> .)	
depressed. (See <i>Cenocorse subdepressa</i> .)	
long-headed. (See <i>Latheticus oryzae</i> .)	
rust-red. (See <i>Tribolium navale</i> .)	
short-horned. (See <i>Latheticus oryzae</i> .)	
slender-horned. (See <i>Gnathocerus</i> [ <i>Echocerus</i> ] <i>maxillosus</i> .)	
small-eyed. (See <i>Cenocorse ratzeburgi</i> .)	
"Fire brat." (See <i>Lepisma domestica</i> .)	
Flour, food of —	
<i>Latheticus oryzae</i> .....	27
<i>Lophocateres pusillus</i> .....	15
<i>Rhizopertha dominica</i> .....	33, 35
Flour mite. (See <i>Tyroglyphus farinae</i> .)	
Flour-moth, Mediterranean. (See <i>Ephestia kuehniella</i> .)	
Fumigator for stored-product insects.....	77-79
<i>Gelechia cerealella</i> = <i>Sitotroga cerealella</i> .....	6
"Getreide-Kapuciner," name given <i>Rhizopertha dominica</i> by Taschenberg....	30
<i>Gibbium psyllodes</i> in list of insects affecting stored cereals.....	4
<i>Gibbium scotias</i> = <i>G. psyllodes</i> .....	4
"Ginger, scraped," food of—	
<i>Caulophilus latinasus</i> .....	22
<i>Lasioderma serricorne</i> .....	22
Glycine. (See Bean, soy.)	
<i>Gnathocerus cornutus</i> in list of insects affecting stored cereals.....	5
<i>Gnathocerus</i> ( <i>Echocerus</i> ) <i>maxillosus</i> in list of insects affecting stored cereals....	5
Gourd seeds, food of <i>Lophocateres pusillus</i> .....	15
Grain-beetle—	
flat. (See <i>Læmophilus minutus</i> .)	
foreign. (See <i>Cathartus advena</i> .)	
merchant. (See <i>Silvanus mercator</i> .)	
Mexican. (See <i>Pharaxonotha kirschi</i> .)	

## Grain-beetle—Continued.

- rust-red. (See *Læmophlæus ferrugineus*.)  
 saw-toothed. (See *Silvanus surinamensis*.)  
 Siamese. (See *Lophocateres pusillus*.)  
 square-necked. (See *Cathartus gemellatus*.)

## Grain-borer—

- larger. (See *Dinoderus truncatus*.)  
 lesser. (See *Rhizopertha dominica*.)

## Grain-moth—

- Angoumois. (See *Sitotroga cerealella*.)  
 European. (See *Tinea granella*.)

## Grain, stored, food of—

	Page.
<i>Calandra oryza</i> .....	15
<i>Latheticus oryzae</i> .....	27
<i>Lophocateres pusillus</i> .....	15
<i>Rhizopertha dominica</i> .....	32

Grain-weevil, broad-nosed. (See *Caulophilus latinasus*.)"Gram." (See *Phaseolus mungo*.)Granary weevil. (See *Calandra granaria*.)

## Heat, dry, in control of broad-bean weevil..... 80

Hickory beetle, red-shouldered. (See *Sinocylon basilaris*.)

## Holding over seed as remedy against broad-bean weevil..... 76

## Horse beans, colloquial name for broad beans..... 59

Horse collar, infested and damaged by *Rhizopertha dominica*..... 33

## Hydrocyanic-acid gas—

- against broad-bean weevil..... 77  
 against lesser grain borer..... 39-42  
 suggested against larger grain borer..... 51

Indian-meal moth. (See *Plodia interpunctella*.)

## Insects affecting stored—

- cereals, early records..... 1-2  
 cereals, list..... 1-7  
 products, fumigator..... 77-79

"Kolu." (See *Phaseolus mungo*.)*Læmophlæus alternans* in list of insects affecting stored cereals..... 3*Læmophlæus ferrugineus* in list of insects affecting stored cereals..... 3*Læmophlæus minutus*—

- association with *Lophocateres pusillus* in rice..... 14  
 carbon tetrachlorid as fumigant..... 54, 56  
 in list of insects affecting stored cereals..... 3

*Læmophlæus pusillus*=*L. minutus*..... 3*Læmotmetus ferrugineus*=*L. rhizophagoides*..... 3*Læmotmetus rhizophagoides* in list of insects affecting stored cereals..... 3*Larisa pisorum*, relation to *L. rufimana*..... 59, 61, 63*Larisa rufimana*—

- adult, description..... 59, 60  
 alleged poisonous nature..... 66-67  
 attack, nature..... 70-71  
 bibliography..... 80-82  
 control methods..... 75-80  
 description..... 59-61  
 distribution..... 62  
 egg, description..... 61  
 enemies, natural..... 72, 74

<i>Loria rufimana</i> —Continued.	Page.
eradication, possibility.....	75-76
larva, postembryonic, description.....	61
life history, summary.....	70-71
literature and history.....	72
occurrence in California, notes.....	64-65
occurrence, records.....	62-65
remedies, experiments.....	74-75
<i>Lasioderma serricorne</i> —	
association with <i>Caulophatus latinasus</i> in scraped ginger.....	22
bibliographic reference.....	24
in list of insects affecting stored cereals.....	4
<i>Lasioderma testaceum</i> = <i>L. serricorne</i> .....	4
<i>Latheticus</i> , description.....	25
<i>Latheticus oryzae</i> —	
adult, description.....	26
bibliographic list.....	28
descriptive.....	25-26
distribution, foreign.....	26
history and literature.....	27-28
in list of insects affecting stored cereals.....	5
occurrence in United States.....	27
<i>Latheticus prosoptis</i> —	
bibliographic references.....	28
comparison with <i>L. oryzae</i> .....	28
lentils, food plants of <i>Pachymerus chinensis</i> .....	89
<i>Lepisma domestica</i> in list of insects affecting stored cereals.....	7
<i>Lepisma saccharina</i> in list of insects affecting stored cereals.....	7
<i>Lophocateres</i> , bibliographic reference.....	18
<i>Lophocateres nanus</i> , bibliographic reference.....	18
<i>Lophocateres pusillus</i> —	
adult, description.....	15-16
bibliography.....	18
description.....	15-17
distribution.....	17
habits.....	17-18
in list of insects affecting stored cereals.....	3
larva, description.....	16-17
pupa, description.....	17
<i>Lophocateres yvansi</i> , bibliographic reference.....	18
Lotus seeds, white, food of <i>Khizopertha dominica</i> .....	35
<i>Lyphia striolata</i> , bibliographic reference.....	28
<i>Lyphia striolatus</i> = <i>Latheticus oryzae</i> .....	5
Maize (see also corn)—	
ears, food of <i>Silvanus surinamensis</i> .....	50
ears, food of <i>Tribolium confusum</i> .....	50
stored, food of <i>Dinoderus truncatus</i> .....	29
Meal, food of <i>Lophocateres pusillus</i> .....	18
Meal snout-moth. (See <i>Pyralis farinalis</i> .)	
Mealworm—	
dark. (See <i>Tenebrio obscurus</i> .)	
lesser. (See <i>Alphitobius diaperinus</i> .)	
yellow. (See <i>Tenebrio molitor</i> .)	

Mediterranean flour-moth. (See <i>Ephesia kuehniella</i> .)	Page.
<i>Melissoblatys gularis</i> in list of insects affecting stored cereals.....	7
Meloidæ, poisonous nature of bites.....	67
"Millet, pearl." (See <i>Pennisetum typhoideum</i> .)	
Mill mite. (See <i>Tyroglyphus americanus</i> .)	
Mite—	
cheese. (See <i>Tyroglyphus siro</i> .)	
clevator. (See <i>Tyroglyphus longior</i> .)	
flour. (See <i>Tyroglyphus farinæ</i> .)	
mill. (See <i>Tyroglyphus americanus</i> .)	
Moths, various, in list of insects affecting stored cereals.....	7
"Muneta." (See <i>Phaseolus mungo</i> .)	
"Mung." (See <i>Phaseolus mungo</i> .)	
<i>Musa ensete</i> , preserved product, food of <i>Rhizopertha dominica</i> .....	33
<i>Mylabris rufimana</i> , bibliographic reference.....	81
Neuropteroid insects in list of insects affecting stored cereals.....	7
<i>Niptus hololeucus</i> in list of insects affecting stored cereals.....	4
<i>Ecophora pseudo-pretella</i> = <i>Acompia pseudo-pretella</i> .....	6
Orthoptera in list of insects affecting stored cereals.....	7
<i>Oryzococcus cathartoides</i> = <i>Læmotmetus rhizophagoides</i> .....	3
<i>Ostoma</i> ( <i>Gaurambe</i> ) <i>yvany</i> , bibliographic reference.....	18
<i>Ostoma pusillum</i> = <i>Lophocateres pusillus</i> .....	3
<i>Ostoma yvany</i> , bibliographic reference.....	18
<i>Pachymerus chinensis</i> —	
beetle, description.....	84-85
bibliography.....	93
control methods.....	92-93
descriptive.....	83-85
distribution.....	85-86
egg, description.....	85
food plants.....	89
generations, number.....	88
larva, postembryonic, description.....	85
literature.....	91-92
life-cycle periods.....	87-88
life history and habits.....	86-91
longevity of adults.....	89
oviposition.....	86-87
point of exit of beetle from seed.....	89-90
summary of life history.....	90-91
susceptibility of different varieties of cowpea to attack.....	90
synonymy.....	85
<i>Pachymerus</i> , descriptions of genus.....	83-84
<i>Pachymerus quadrimaculatus</i> —	
carbon tetrachlorid as fumigant.....	55
infesting cowpeas.....	83
prey of <i>Pediculoides ventricosus</i> .....	67
<i>Palorus ratzeburgi</i> = <i>Carnocorse ratzeburgi</i> .....	5
<i>Palorus subdepressus</i> = <i>Carnocorse subdepressa</i> .....	5
<i>Panchlora surinamensis</i> in list of insects affecting stored cereals.....	7
Parasites, importation against broad-bean weevil.....	80
PARKER, Wm. B., paper, "Notes on Occurrence [of Broad-bean Weevil] in California".....	64-65
Peanuts, stored, food of <i>Lophocateres pusillus</i> .....	17

	Page.
Peas—	
food of <i>Larva rufimana</i> .....	59
garden and field, food plants of <i>Pachymerus chinensis</i> .....	89
pigeon. (See <i>Cajanus indica</i> .)	
Pea weevil. (See <i>Larva pisorum</i> .)	
<i>Pediculoides ventricosus</i> , enemy of—	
<i>Acanthoscelides obiectus</i> .....	67
<i>Larva rufimana</i> , cause of poisoning.....	66-67, 73
<i>Pachymerus quadrimaculatus</i> .....	67
<i>Pharazonotha kirschi</i> .....	12
<i>Peltis pusilla</i> , bibliographic reference.....	18
<i>Peltis yvanii</i> , bibliographic reference.....	18
<i>Pennisetum typhoideum</i> , seed, food of <i>Rhizopertha dominica</i> .....	33
<i>Periplaneta orientalis</i> = <i>Blattia orientalis</i> .....	7
<i>Plodia interpunctella</i> —	
carbon tetrachlorid as fumigant.....	55
fumigation with bisulphid of carbon.....	43
in list of insects affecting stored cereals.....	6
<i>Pharazonotha kirschi</i> —	
adult, description.....	9
bibliographic references.....	13
description.....	9-10
egg, description.....	9
enemies.....	12
habits.....	11-12
in list of insects affecting stored cereals.....	3
larva, description.....	10
literature.....	10
pupa, description.....	10
<i>Phaseolus mungo</i> , food plant of <i>Pachymerus chinensis</i> .....	89
<i>Phaseolus radiatus</i> , food plant of <i>Pachymerus chinensis</i> .....	89
<i>Philoterme flavipes</i> = <i>Termes flavipes</i> .....	7
Phycitidæ in list of insects affecting stored cereals.....	6
<i>Phylethrus bifasciatus</i> = <i>Alphitophagus bifasciatus</i> .....	5
<i>Phyllodromia germanica</i> = <i>Blattella germanica</i> .....	7
<i>Pisum sativum</i> , bibliographic reference.....	94
Poisonous insects, immunity of some persons to stings and bites.....	67
Poisonous nature, alleged, of broad-bean weevil probably due to <i>Pediculoides ventricosus</i> .....	66-67
POFENOE, C. H., F. H. CHITTENDEN and, paper, "Carbon Tetrachlorid as a Substitute for Carbon Bisulphid in Fumigation against Insects".....	53-57
Prostephanus, bibliographic reference.....	52
Ptinidæ in list of insects affecting stored cereals.....	4
<i>Ptinus brunneus</i> in list of insects affecting stored cereals.....	4
<i>Ptinus fur</i> in list of insects affecting stored cereals.....	4
<i>Ptinus piceus</i> = <i>Rhizopertha dominica</i> .....	30
<i>Pyralis farinalis</i> in list of insects affecting stored cereals.....	7
<i>Quercus suber</i> , <i>Rhizopertha dominica</i> found under bark.....	32
<i>Rhizopertha dominica</i> —	
bibliography.....	46-47
biologic notes.....	35-36
comparison with <i>Dinoderus truncatus</i> .....	49
conclusions as to remedies.....	46
description.....	30

<i>Rhizopertha dominica</i> —Continued.	Page
distribution.....	31-32
egg, description.....	35
habits.....	32
history.....	32
in list of insects affecting stored cereals.....	4
larva, fully developed, description.....	36
larva, newly hatched, description.....	36
literature.....	32
notes and correspondence.....	32-35
remedies, experiments.....	36-45
<i>Rhizopertha pusilla</i> = <i>R. dominica</i> .....	4
Rhubarb, roots, stored, food of <i>Rhizopertha dominica</i> .....	32
Rhynchophora in list of insects affecting stored cereals.....	5-6
<i>Rhyncolus cylindrirostris</i> —	
bibliographic reference.....	23
comparison with <i>Caulophilus latinasus</i> .....	21
= <i>R. lignarius</i> .....	21
<i>Rhyncolus latinasus</i> —	
bibliographic references.....	23
= <i>Caulophilus latinasus</i> .....	22
<i>Rhyncolus lignarius</i> —	
bibliographic reference.....	23
<i>R. cylindrirostris</i> a synonym.....	21
<i>Rhyncolus oryze</i> in list of insects affecting stored cereals.....	6
<i>Rhyzopertha pusilla</i> = <i>Rhizopertha dominica</i> .....	30
Rice, stored, food of—	
<i>Latheticus oryze</i> .....	25, 27
<i>Lophocateres pusillus</i> .....	14-15
<i>Rhizopertha dominica</i> .....	32, 33
Rice weevil. (See <i>Calandra oryza</i> .)	
Roach, Surinam. (See <i>Panchlora surinamensis</i> .)	
Roots, stored, food of <i>Dinoderus truncatus</i> .....	48-50
Rye, stored, food of—	
<i>Latheticus oryze</i> .....	27
<i>Lophocateres pusillus</i> .....	15
Rye straw in horse collar, infestation by <i>Rhizopertha dominica</i> .....	35
Sap-beetle, corn. (See <i>Carpophilus pallipennis</i> .)	
Scales on nursery stock, carbon tetrachlorid as fumigant.....	53-54
<i>Sigalphus pallipes</i> —	
bibliographic reference.....	80
parasite of <i>Larix rufimana</i> .....	72
<i>Sigalphus</i> sp., parasite of <i>Larix rufimana</i> .....	63
<i>Sigalphus thoracicus</i> —	
bibliographic reference.....	80
parasite of <i>Larix rufimana</i> .....	72
<i>Silvanus advena</i> = <i>Cathartus advena</i> .....	2
<i>Silvanus bicornis</i> in list of insects affecting stored cereals.....	2
<i>Silvanus cassiae</i> auct.= <i>Cathartus gemellatus</i> .....	2
<i>Silvanus cassiae</i> incorrectly determined as affecting stored corn.....	1
<i>Silvanus frumentarius</i> = <i>S. surinamensis</i> .....	2
<i>Silvanus mercator</i> in list of insects affecting stored cereals.....	2

<i>Tranvus surinamensis</i> —	Page.
carbon tetrachlorid as fumigant.....	54-55
fumigation with bisulphid of carbon.....	43
in ears of maize.....	50
in list of insects affecting stored cereals.....	2
silverfish. (See <i>Lepisma saccharina</i> .)	
<i>Tricoxylon basilaris</i> , comparison with <i>Dinoderus truncatus</i> .....	50
<i>Tiodrepa panicea</i> in list of insects affecting stored cereals.....	4
<i>Sitophagus hololeptoides</i> = <i>Sitophagus solieri</i> .....	5
<i>Sitophagus solieri</i> in list of insects affecting stored cereals.....	5
<i>Sitophilus granarius</i> = <i>Calandra granaria</i> .....	5
<i>Sitophilus oryzae</i> = <i>Calandra oryza</i> .....	5
<i>Sitotroga cerealia</i> in list of insects affecting stored cereals.....	6
Snout-moth, meal. (See <i>Pyralis farinalis</i> .)	
Soja hispida (see also Bean, soy)—	
beans, food of <i>Lophocateres pusillus</i> .....	17
Sorghum seed, food of <i>Rhizopertha dominica</i> .....	33
Sorghum vulgare, seed, food of <i>Rhizopertha dominica</i> .....	32
Soy bean. (See Soja hispida and Bean, soy.)	
Spider-beetle—	
brown. (See <i>Ptinus brunneus</i> .)	
white-marked. (See <i>Ptinus fur.</i> )	
<i>Stylopyga orientalis</i> = <i>Blatia orientalis</i> .....	7
Sun-heat against broad-bean weevil.....	74
<i>Synodendron dominica</i> , bibliographic reference.....	46
<i>Synodendron dominicum</i> = <i>Rhizopertha dominica</i> .....	30
<i>Synodendron pusillum</i> —	
bibliographic reference.....	46
= <i>Rhizopertha dominica</i> .....	30
<i>Tenebrio molitor</i> in list of insects affecting stored cereals.....	4
<i>Tenebrio obscurus</i> in list of insects affecting stored cereals.....	4
<i>Tenebrio tenebrioides</i> in list of insects affecting stored cereals.....	4
Tenebrionide in list of insects affecting stored cereals.....	4-5
<i>Tenebroides mauritanicus</i> —	
carbon tetrachlorid as fumigant.....	54-55
fumigation with bisulphid of carbon.....	43
in list of insects affecting stored cereals.....	3
<i>Termes flavipes</i> in list of insects affecting stored cereals.....	7
<i>Thalassella conradti</i> —	
bibliographic references.....	13
= <i>Pharazonotha kirschi</i> .....	3
Tick beans, colloquial name for broad beans.....	59
<i>Tinea biselliella</i> in list of insects affecting stored cereals.....	6
<i>Tinea granella</i> in list of insects affecting stored cereals.....	6
<i>Tinea misella</i> in list of insects affecting stored cereals.....	6
<i>Tinea pallescens</i> in list of insects affecting stored cereals.....	6
<i>Tineina</i> in list of insects affecting stored cereals.....	6
<i>Tribolium</i> , association with <i>Pharazonotha kirschi</i> in meal.....	11
<i>Tribolium confusum</i> —	
carbon tetrachlorid as fumigant.....	54
in ears of maize.....	50
in list of insects affecting stored cereals.....	4
<i>Tribolium ferrugineum</i> auct.= <i>T. confusum</i> .....	4



	Page.
<i>Tribolium ferrugineum</i> = <i>T. navale</i> .....	5
<i>Tribolium madens</i> in list of insects affecting stored cereals.....	5
<i>Tribolium navale</i> —	
association with <i>Lophocateres pusillus</i> in rice.....	14
carbon tetrachlorid as fumigant.....	54
fumigation with bisulphid of carbon.....	38, 43
fumigation with hydrocyanic-acid gas.....	40-42
in list of insects affecting stored cereals.....	5
<i>Tricorynus zea</i> = <i>Catorama zea</i> .....	4
<i>Troctes corrodens</i> in list of insects affecting stored cereals.....	7
<i>Troctes divinatoria</i> in list of insects affecting stored cereals.....	7
<i>Trogoderma ornatum</i> in list of insects affecting stored cereals.....	3
<i>Trogoderma tarsale</i> in list of insects affecting stored cereals.....	3
<i>Trogosita mauritanica</i> = <i>Tenebroides mauritanicus</i> .....	3
Tubers, stored, food of <i>Dinoderus truncatus</i> .....	48
Turnip, wild prairie, food of <i>Rhizopertha dominica</i> .....	33
<i>Typha fumata</i> in list of insects affecting stored cereals.....	3
<i>Tyroglyphus americanus</i> in list of insects affecting stored cereals.....	7
<i>Tyroglyphus farinæ</i> in list of insects affecting stored cereals.....	7
<i>Tyroglyphus longior</i> in list of insects affecting stored cereals.....	7
<i>Tyroglyphus siro</i> in list of insects affecting stored cereals.....	7
<i>Vicia faba</i> —	
germination tests of seed infested by <i>Larid rufimana</i> .....	68-69
seeds, food of <i>Larid rufimana</i> .....	60, 63, 66
<i>Vigna catjang</i> —	
bibliographic reference.....	94
food plant of <i>Pachymerus chinensis</i> .....	89
<i>Vigna sinensis</i> , food plant of <i>Pachymerus chinensis</i> .....	89
<i>Vigna unguiculatus</i> , food plant of <i>Pachymerus chinensis</i> .....	89
Water, hot, against broad bean weevil.....	75, 76
Weevil—	
broad-bean. (See <i>Larid rufimana</i> .)	
granary. (See <i>Calandra granaria</i> .)	
rice. (See <i>Calandra oryza</i> .)	
Wheat, stored, food of—	
<i>Latheticus oryza</i> .....	27
<i>Lophocateres pusillus</i> .....	18
<i>Rhizopertha dominica</i> .....	29, 32, 33, 35
White ant. (See <i>Termes flavipes</i> .)	
Windsor beans, colloquial name for broad beans.....	59
"Wood bug," colloquial name for <i>Rhizopertha dominica</i> .....	29, 33
Wood of packing boxes and casks, food of <i>Rhizopertha dominica</i> .....	29
Wood of sugar casks, food of <i>Rhizopertha dominica</i> .....	32
<i>Zelus renardii</i> , enemy of <i>Larid rufimana</i> .....	74









# CONTENTS.

	Page.
List of insects affecting stored cereals.....F. H. Chittenden..	1
Introductory.....	1
Insects affecting stored cereals and cereal products.....	2
Cucujidae.....	2
Dermestidae.....	3
Other clavicorns.....	3
Bostrychidae.....	4
Ptinidae.....	4
Tenebrionidae.....	4
Rhyncophora.....	5
Tineina.....	6
Phycitidae.....	6
Other moths.....	7
Orthoptera.....	7
Neuropteroid insects.....	7
Acarina.....	7
Mexican grain beetle ( <i>Pharazonotha kirschi</i> Reut.).....F. H. Chittenden..	8
Introductory.....	8
Description.....	9
Literature.....	10
Observed habits.....	11
Enemies.....	12
Bibliographic references.....	13
Siamese grain beetle ( <i>Lophocateres pusillus</i> Klug.).....F. H. Chittenden..	14
Introductory.....	14
Description.....	15
Distribution.....	17
Habits.....	17
Bibliography.....	18
broad-nosed grain weevil ( <i>Caulophilus latinasus</i> Say).....F. H. Chittenden..	19
Notes on occurrence in the United States.....	19
Descriptive.....	20
Distribution.....	22
Literature.....	22
Summary of life history and habits.....	23
Bibliographical list.....	23
long-headed flour beetle ( <i>Latheticus oryzae</i> Waterh.).....F. H. Chittenden..	25
Introductory.....	25
Descriptive.....	25
Foreign distribution.....	26
Occurrence in the United States.....	27
History and literature.....	27
Bibliographical list.....	28
lesser grain-borer ( <i>Rhizopertha dominica</i> Fab.).....F. H. Chittenden..	29
Introductory.....	29
Description of the species.....	30

The lesser grain-borer, etc.—Continued.	Page
Distribution.....	31
Literature, known history, and habits.....	32
Office notes and correspondence.....	32
Biologic notes.....	35
Experiments with remedies.....	38
General conclusions.....	46
Bibliography.....	46
The larger grain-borer ( <i>Dinoderus truncatus</i> Horn)..... F. H. Chittenden..	48
Introductory.....	48
Description.....	48
History and literature.....	50
Office experiments.....	50
Bibliography.....	52
Carbon tetrachlorid as a substitute for carbon bisulphid in fumigation against insects..... F. H. Chittenden and C. H. Poppenoe..	53
Introduction.....	53
Experiments at Washington, D. C.....	54
Experiments at Baltimore, Md.....	55
Comparative cost of carbon bisulphid and carbon tetrachlorid.....	56
Conclusions.....	57
The broad-bean weevil ( <i>Loric rufimana</i> Boh.)..... F. H. Chittenden..	59
Introductory.....	59
Description.....	59
Distribution.....	62
Records of occurrence.....	62
Notes on occurrence in California, by Wm. B. Parker, agent.....	64
Alleged poisonous nature of the weevil.....	66
Germination of seed.....	68
Summary of nature of attack and life history.....	70
Literature and history.....	72
Natural enemies.....	72
Experiments with remedies, by Wm. B. Parker, agent.....	74
Methods of control.....	75
Bibliography.....	80
The cowpea weevil ( <i>Pachynerus chinensis</i> L.)..... F. H. Chittenden..	83
Introductory.....	83
Descriptive.....	83
Synonymy.....	84
Distribution.....	85
Life history and habits.....	86
Oviposition.....	86
Life-cycle periods.....	87
Number of generations.....	88
Longevity of adults.....	89
Food plants.....	89
The point of exit of the beetle from the seed.....	89
Susceptibility of different varieties of cowpea.....	90
Summary of life history.....	91
Literature.....	91
Methods of control.....	92
Bibliography.....	93
Index.....	95

## ILLUSTRATIONS.

PLATE.	Page.
PLATE I. Blackeye cowpeas infested by the cowpea weevil ( <i>Pachymerus chinensis</i> ), showing eggs and exit holes.....	86
TEXT FIGURES.	
1. The Mexican grain beetle ( <i>Pharaxonotha kirschi</i> ): Adult, larva, pupa, details.....	8
2. The Siamese grain beetle ( <i>Lophocateres pusillus</i> ): Adult, larva, pupa, details.....	14
3. The broad-nosed grain weevil ( <i>Caulophilus latinasus</i> ): Adult and details.....	19
4. The broad-nosed grain weevil: Work in seed of avocado ( <i>Persea gratissima</i> ).....	20
5. The long-headed flour beetle ( <i>Latheticus oryzae</i> ): Adult.....	26
6. <i>Latheticus prosopis</i> : Adult.....	26
7. The lesser grain-borer ( <i>Rhizopertha dominica</i> ): Adult.....	30
8. Section of horse collar showing holes bored by the lesser grain-borer...	34
9. The larger grain-borer ( <i>Dinoderus truncatus</i> ): Adult, larva, pupa, details.....	50
10. The larger grain-borer: Kernel of corn showing characteristic work of adult, or beetle.....	51
11. The broad-bean weevil ( <i>Laria rufimana</i> ): Adult, or beetle.....	60
12. The pea weevil ( <i>Laria pisorum</i> ): Beetle, larva, and pupa.....	60
13. The broad-bean weevil: Photomicrograph of egg.....	61
14. The broad-bean weevil: Egg.....	61
15. The broad-bean weevil: Apical crest of head of postembryonic larva..	61
16. Broad beans infested by the broad-bean weevil, showing empty exit holes of beetles, closed exit holes, and open exit holes in which beetles are still present.....	70
17. Broad beans split to show ravages made by larvae of the broad-bean weevil above, and by larvae and adults below, the latter leaving large pupal cases at the ends of the beans.....	71
18. Broad bean cut in half to show, at top on left, pupal cell of the broad-bean weevil; at right, cell containing predaceous mite ( <i>Pediculoides ventricosus</i> ).....	73
19. <i>Pediculoides ventricosus</i> : Gravid female.....	73
20. Fumigator used for stored products infested by insects.....	79
21. The cowpea weevil ( <i>Pachymerus chinensis</i> ): Male beetle, egg, larva, and details.....	84

## ERRATA.

- page 30, line 19 from bottom, for *pusillus* read *pusillum*.  
page 87, line 22 from bottom, for *laræ* read *larvæ*.





